



MATERIAL SAFETY DATA SHEET / page 1

SOAPOPOPULAR DIN#02270420

HAZARD RATING
HAZARD CODE



4- SEVERE
3- SERIOUS
2- MODERATE
1- SLIGHT
0- MINIMAL

FIRE HAZARD (0)
HEALTH HAZARD (0)
REACTIVITY (0)
PERSONAL PROTECTION (0)

| SECTION I: PRODUCT IDENTIFICATION | | | |
|---|-------------------------------|--|--|
| TRADE NAME AND SYNONYMS | CHEMICAL FORMULA | MATERIAL USE | |
| SOAPOPOPULAR | Proprietary | Liquid hand disinfectant | |
| SECTION II: HAZARDOUS INGREDIENTS OF MATERIAL | | | |
| HAZARDOUS INGREDIENTS | APPROXIMATE CONCENTRATION (%) | CAS. NA OR UN NUMBERS | LD ₅₀ (SPECIFY SPECIES & ROUTE) |
| Benzalkonium chloride | 0.15 | CAS No: 8001-54-5 | N/AV |
| The other ingredients are not hazardous. | | | |
| SECTION III: PHYSICAL DATA OF MATERIAL | | | |
| PHYSICAL STATE | pH (as is) | ODOUR AND APPEARANCE | |
| Liquid | 7.00±1.00 | Mild – Colorless | |
| % VOLATILE (BY VOL.) | SPECIFIC GRAVITY | VAPOUR PRESSURE (MM) | VAPOUR DENSITY (AIR-1) |
| N/AV | 1.000±0.050 | N/AV | N/AV |
| EVAPORATION RATE | BOILING POINT (°C) | FREEZING POINT (°C) | SOLUBILITY IN WATER (20°C) |
| N/AV | N/AV | N/AV | Complete |
| N/A = Not Applicable | | N/AV = Not Available | |
| SECTION IV: FIRE AND EXPLOSION HAZARD | | | |
| MEANS OF EXTINCTION Vaporised water, foam of carbon bioxide. HAZARDOUS COMBUSTION PRODUCTS CO, CO₂ products of combustion. SPECIAL PROCEDURES N/A | | FLAMMABILITY NO IF YES UNDER WHAT CONDITIONS? N/A FLASH POINT (°C) AND METHOD N/A UPPER EXPLOSION LIMIT (% BY VOLUME) N/A LOWER EXPLOSION LIMIT (% BY VOLUME) N/A | |



MATERIAL SAFETY DATA SHEET / page 2

| SECTION V: REACTIVITY DATA | | |
|--|--|---------------------------|
| CHEMICAL STABILITY YES IF NO, UNDER WHAT CONDITIONS? N/A INCOMPATIBILITY TO OTHER SUBSTANCES YES IF SO, WHICH ONES? Strong oxydizers, reducing agents, acids and alkalines agents. | REACTIVITY AND UNDER WHAT CONDITIONS? When in contact with strong oxydizers, reducing agents, acids and alkalines agents. HAZARDOUS DECOMPOSITION PRODUCTS CO, CO₂. | |
| SECTION VI: TOXICOLOGICAL PROPERTIES | | |
| ROUTE OF ENTRY Eye contact Ingestion EFFECTS OF ACUTE EXPOSURE TO MATERIAL EYES: May causes irritation. INGESTION : May causes irritation, abdominal pain, diarrhea. | EXPOSURE LIMITS N.AV. CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY None | |
| SECTION VII: PREVENTIVE MESURES | | |
| PERSONAL PROTECTIVE EQUIPMENT GLOVES (SPECIFY) None EYES (SPECIFY) None RESPIRATORY (SPECIFY) None OTHER (SPECIFY) None | ENGINEERING CONTROLS (E.G. VENTILATION, ENCLOSED PROCESS SPECIFY) N/A LEAKS AND SPILLS PROCEDURE Wash away with water. WASTE DISPOSAL Neutralize and then dispose according to local laws. HANDLING PROCEDURES AND EQUIPMENT N/A STORAGE REQUIREMENTS Steel or plastic. Store at 20°C to 30°C. Keep lid closed. SPECIAL SHIPPING INFORMATION Shipping temperature has to be between 20°C and 30°C. | |
| SECTION VIII: FIRST AID MEASURES | | |
| EYES: Flush eyes with abundant water for 15 minutes. If irritation persists, seek medical attention. INGESTION : Drink 3-4 glasses of water, do not induce vomiting. Consult physician. | | |
| SECTION IX: EMERGENCY NUMBER | | |
| PREPARED BY | PHONE NUMBER | DATE |
| Technical Department | Tel: 514-745-2597 | September 02, 2005 |
| SECTION X: W.H.M.I.S. Classe(s) : D 2 B | | |
| SHIPPING : Not Regulated | | |